

[Top 100 Documents](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Top 100 Documents Accessed: Dec 2005

Display Format: Citation Citation & Abstract

Article Information

1. **HTS/ferroelectric devices for microwave applications**

Gevorgian, S.S.; Carlsson, E.F.; Rudner, S.; Helmersson, U.; Kollberg, E.L.; Wikborg, E.; Vendik, O.G.
Applied Superconductivity, IEEE Transactions on
Volume 7, Issue 2, Part: 3, Date: Jun 1997, Pages: 2458-2461
Digital Object Identifier 10.1109/77.621737

[Abstract](#) | Full Text: [PDF](#) (472 KB)

2. **Conformal mapping of the field and charge distributions in multilayered substrate CPWs**

Carlsson, E.; Gevorgian, S.
Microwave Theory and Techniques, IEEE Transactions on
Volume 47, Issue 8, Date: Aug 1999, Pages: 1544-1552
Digital Object Identifier 10.1109/22.780407

[Abstract](#) | Full Text: [PDF](#) (232 KB)

3. **CAD models for multilayered substrate interdigital capacitors**

Gevorgian, S.S.; Martinsson, T.; Linner, P.L.J.; Kollberg, E.L.
Microwave Theory and Techniques, IEEE Transactions on
Volume 44, Issue 6, Date: Jun 1996, Pages: 896-904
Digital Object Identifier 10.1109/22.506449

[Abstract](#) | Full Text: [PDF](#) (696 KB)

4. **Lower order modes of YBCO/STO/YBCO circular disk resonators**

Gevorgian, S.; Carlsson, E.; Linner, P.; Kollberg, E.; Vendik, O.; Wikborg, E.
Microwave Theory and Techniques, IEEE Transactions on
Volume 44, Issue 10, Part: 1, Date: Oct 1996, Pages: 1738-1741
Digital Object Identifier 10.1109/22.538968

[Abstract](#) | Full Text: [PDF](#) (356 KB)

5. **Open resonator technique for measuring multilayered dielectric plates**

Deleniv, A.N.; Gevorgian, S.
Microwave Theory and Techniques, IEEE Transactions on
Volume 53, Issue 9, Date: Sept. 2005, Pages: 2908-2916
Digital Object Identifier 10.1109/TMTT.2005.854242

[Abstract](#) | Full Text: [PDF](#) (624 KB)

6. **FVC2000: fingerprint verification competition**

Maio, D.; Maltoni, D.; Cappelli, R.; Wayman, J.L.; Jain, A.K.
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 24, Issue 3, Date: Mar 2002, Pages: 402-412
Digital Object Identifier 10.1109/34.990140

[Abstract](#) | Full Text: [PDF](#) (2479 KB)

7. **Hardware/software co-design of a fingerprint recognition system**

Sagar, V.K.; Greening, C.; Tan, W.Y.; Leung, C.S.A.
Partitioning in Hardware-Software Codesigns, IEE Colloquium on
Volume , Issue , Date: 13 Feb 1995, Pages: 10/1-10/5

[Abstract](#) | Full Text: [PDF](#) (216 KB)

8. WiMax and Wi-Fi: Separate and Unequal

Cherry, S.M.
Spectrum, IEEE
Volume 41, Issue 3, Date: March 2004, Pages: 16- 16
Digital Object Identifier 10.1109/MSPEC.2004.1270541

[Abstract](#) | Full Text: [PDF](#) (2525 KB)

9. What is Bluetooth?

McDermott-Wells, P.
Potentials, IEEE
Volume 23, Issue 5, Date: Dec. 2004-Jan. 2005, Pages: 33- 35
Digital Object Identifier 10.1109/MP.2005.1368913

[Abstract](#) | Full Text: [PDF](#) (545 KB)

10. A UWB CMOS transceiver

Razavi, B.; Aytur, T.; Lam, C.; Fei-Ran Yang; Kuang-Yu Li; Ran-Hong Yan; Han-Chang Kang; Cheng-Chung Hsu; Chao-Cheng Lee
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2555- 2562
Digital Object Identifier 10.1109/JSSC.2005.857430

[Abstract](#) | Full Text: [PDF](#) (992 KB)

11. 0.5-V analog circuit techniques and their application in OTA and filter design

Chatterjee, S.; Tsvividis, Y.; Kinget, P.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2373- 2387
Digital Object Identifier 10.1109/JSSC.2005.856280

[Abstract](#) | Full Text: [PDF](#) (1728 KB)

12. Broadband wireless access with WiMax/802.16: current performance benchmarks and future potential

Ghosh, A.; Wolter, D.R.; Andrews, J.G.; Chen, R.
Communications Magazine, IEEE
Volume 43, Issue 2, Date: Feb. 2005, Pages: 129- 136
Digital Object Identifier 10.1109/MCOM.2005.1391513

[Abstract](#) | Full Text: [PDF](#) (526 KB)

13. All-digital PLL and transmitter for mobile phones

Staszewski, R.B.; Wallberg, J.L.; Rezeq, S.; Chih-Ming Hung; Eliezer, O.E.; Vemulapalli, S.K.; Fernando, C.; Maggio, K.; Staszewski, R.; Barton, N.; Meng-Chang Lee; Cruise, Entezari, M.; Muhammad, K.; Leipold, D.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2469- 2482
Digital Object Identifier 10.1109/JSSC.2005.857417

[Abstract](#) | Full Text: [PDF](#) (1432 KB)

14. CAD models for shielded multilayered CPW

Gevorgian, S.; Linner, L.J.P.; Kollberg, E.L.
Microwave Theory and Techniques, IEEE Transactions on
Volume 43, Issue 4, Part: 1-2, Date: Apr 1995, Pages: 772-779
Digital Object Identifier 10.1109/22.375223

[Abstract](#) | Full Text: [PDF](#) (528 KB)

15. **Achieving wireless broadband with WiMax**
Vaughan-Nichols, S.J.
Computer
Volume 37, Issue 6, Date: June 2004, Pages: 10- 13
Digital Object Identifier 10.1109/MC.2004.1266286
Full Text: [PDF](#) (336 KB)
16. **A very high precision 500-nA CMOS floating-gate analog voltage reference**
Ahuja, B.K.; Hoa Vu; Laber, C.A.; Owen, W.H.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2364- 2372
Digital Object Identifier 10.1109/JSSC.2005.856268
[Abstract](#) | Full Text: [PDF](#) (1112 KB)
17. **The history of noise [on the 100th anniversary of its birth]**
Cohen, L.
Signal Processing Magazine, IEEE
Volume 22, Issue 6, Date: Nov. 2005, Pages: 20- 45
Digital Object Identifier 10.1109/MSP.2005.1550188
[Abstract](#) | Full Text: [PDF](#) (1322 KB)
18. **A tutorial on hidden Markov models and selected applications inspeech recognition**
Rabiner, L.R.
Proceedings of the IEEE
Volume 77, Issue 2, Date: Feb 1989, Pages: 257-286
Digital Object Identifier 10.1109/5.18626
[Abstract](#) | Full Text: [PDF](#) (2272 KB)
19. **A direct-conversion receiver for DVB-H**
Antoine, P.; Bauser, P.; Beaulaton, H.; Buchholz, M.; Carey, D.; Cassagnes, T.; Chan, T.K.; Colomines, S.; Hurley, F.; Jobling, D.T.; Kearney, N.; Murphy, A.C.; Rock, J.; Salle
Thong Tu
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2536- 2546
Digital Object Identifier 10.1109/JSSC.2005.857429
[Abstract](#) | Full Text: [PDF](#) (1016 KB)
20. **An 802.11g WLAN SoC**
Mehta, S.S.; Weber, D.; Terrovitis, M.; Onodera, K.; Mack, M.P.; Kaczynski, B.J.; Samavati, H.; Jen, S.H.-M.; Si, W.W.; MeeLan Lee; Singh, K.; Mendis, S.; Husted, P.J.; Ning
McFarland, B.; Su, D.K.; Meng, T.H.; Wooley, B.A.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2483- 2491
Digital Object Identifier 10.1109/JSSC.2005.857418
[Abstract](#) | Full Text: [PDF](#) (1296 KB)
21. **Monte Carlo methods for signal processing: a review in the statistical signal processing context**
Doucet, A.; Xiaodong Wang
Signal Processing Magazine, IEEE
Volume 22, Issue 6, Date: Nov. 2005, Pages: 152- 170
Digital Object Identifier 10.1109/MSP.2005.1550195
[Abstract](#) | Full Text: [PDF](#) (919 KB)
22. **A noise cancellation technique in active RF-CMOS mixers**
Darabi, H.; Chiu, J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2628- 2632

Digital Object Identifier 10.1109/JSSC.2005.857428

[Abstract](#) | Full Text: [PDF](#) (568 KB)

23. RFID: a technical overview and its application to the enterprise

Weinstein, R.

IT Professional

Volume 7, Issue 3, Date: May-June 2005, Pages: 27- 33

Digital Object Identifier 10.1109/MITP.2005.69

[Abstract](#) | Full Text: [PDF](#) (696 KB)

24. Antenna design for UHF RFID tags: a review and a practical application

Rao, K.V.S.; Nikitin, P.V.; Lam, S.F.

Antennas and Propagation, IEEE Transactions on

Volume 53, Issue 12, Date: Dec. 2005, Pages: 3870- 3876

Digital Object Identifier 10.1109/TAP.2005.859919

[Abstract](#) | Full Text: [PDF](#) (808 KB)

25. A 0.83-2.5-GHz continuously tunable quadrature VCO

Guermendi, D.; Tortori, P.; Franchi, E.; Gnudi, A.

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2620- 2627

Digital Object Identifier 10.1109/JSSC.2005.857427

[Abstract](#) | Full Text: [PDF](#) (792 KB)

26. A fully integrated SOC for 802.11b in 0.18- μm CMOS

Khorram, S.; Darabi, H.; Zhimin Zhou; Qiang Li; Marholev, B.; Chiu, J.; Castaneda, J.; Hung-Ming Chien; Anand, S.B.; Wu, S.; Meng-An Pan; Roofougaran, R.; Hea Joung Kim P.; Ibrahim, B.; Rael, J.J.; Tran, L.H.; Geronaga, E.; Yeh, H.; Frost, T.; Trachewsky, J.; Rofougaran, A.

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2492- 2501

Digital Object Identifier 10.1109/JSSC.2005.857419

[Abstract](#) | Full Text: [PDF](#) (2008 KB)

27. A CMOS TV tuner/demodulator IC with digital image rejection

Chun-Huat Heng; Gupta, M.; Sang-Hoon Lee; Kang, D.; Bang-Sup Song

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2525- 2535

Digital Object Identifier 10.1109/JSSC.2005.857421

[Abstract](#) | Full Text: [PDF](#) (1504 KB)

28. Integrated stereo $\Delta\Sigma$ class D amplifier

Gaalaas, E.; Liu, B.Y.; Nishimura, N.; Adams, R.; Sweetland, K.

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2388- 2397

Digital Object Identifier 10.1109/JSSC.2005.856266

[Abstract](#) | Full Text: [PDF](#) (1224 KB)

29. A 0.6-V 82-dB delta-sigma audio ADC using switched-RC integrators

Gil-Cho Ahn; Dong-Young Chang; Brown, M.E.; Ozaki, N.; Youra, H.; Yamamura, K.; Hamashita, K.; Takasuka, K.; Temes, G.C.; Un-Ku Moon

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2398- 2407

Digital Object Identifier 10.1109/JSSC.2005.856286

[Abstract](#) | Full Text: [PDF](#) (1168 KB)

30. Analog-to-digital converters

Bin Le; Rondeau, T.W.; Reed, J.H.; Bostian, C.W.

Signal Processing Magazine, IEEE
Volume 22, Issue 6, Date: Nov. 2005, Pages: 69- 77
Digital Object Identifier 10.1109/MSP.2005.1550190

[Abstract](#) | Full Text: [PDF](#) (1848 KB)

31. G/sub m-boosted common-gate LNA and differential colpitts VCO/QVCO in 0.18-/spl mu/m CMOS

Xiaoyong Li; Shekhar, S.; Allstot, D.J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2609- 2619
Digital Object Identifier 10.1109/JSSC.2005.857426

[Abstract](#) | Full Text: [PDF](#) (856 KB)

32. A survey on wireless mesh networks

Akyildiz, I.F.; Xudong Wang
Communications Magazine, IEEE
Volume 43, Issue 9, Date: Sept. 2005, Pages: S23- S30
Digital Object Identifier 10.1109/MCOM.2005.1509968

[Abstract](#) | Full Text: [PDF](#) (138 KB)

33. A 3.1- to 8.2-GHz zero-IF receiver and direct frequency synthesizer in 0.18-/spl mu/m SiGe BiCMOS for mode-2 MB-OFDM UWB communication

Ismail, A.; Abidi, A.A.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2573- 2582
Digital Object Identifier 10.1109/JSSC.2005.857423

[Abstract](#) | Full Text: [PDF](#) (1104 KB)

34. A 106-dB SNR hybrid oversampling analog-to-digital converter for digital audio

Nguyen, K.; Adams, R.; Sweetland, K.; Huaijin Chen
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2408- 2415
Digital Object Identifier 10.1109/JSSC.2005.856284

[Abstract](#) | Full Text: [PDF](#) (1032 KB)

35. TDSC, OFDM, and MC-CDMA: a brief tutorial

Chakravarthy, V.; Nunez, A.S.; Stephens, J.P.; Shaw, A.K.; Temple, M.A.
Communications Magazine, IEEE
Volume 43, Issue 9, Date: Sept. 2005, Pages: S11- S16
Digital Object Identifier 10.1109/MCOM.2005.1509966

[Abstract](#) | Full Text: [PDF](#) (128 KB)

36. An interference-robust receiver for ultra-wideband radio in SiGe BiCMOS technology

Roovers, R.; Leenaerts, D.M.W.; Bergervoet, J.; Harish, K.S.; van de Beek, R.C.H.; van der Weide, G.; Waite, H.; Yifeng Zhang; Aggarwal, S.; Razzell, C.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2563- 2572
Digital Object Identifier 10.1109/JSSC.2005.857431

[Abstract](#) | Full Text: [PDF](#) (1288 KB)

37. IEEE recommended practice for software requirements specifications

IEEE Std 830-1998
Volume , Issue , Date: 20 Oct 1998, Pages: -

[Abstract](#) | Full Text: [PDF](#) (444 KB)

38. A road to future broadband wireless access: MIMO-OFDM-Based air interface

Hongwei Yang
Communications Magazine, IEEE
Volume 43, Issue 1, Date: Jan. 2005, Pages: 53- 60
Digital Object Identifier 10.1109/MCOM.2005.1381875(410) 4

[Abstract](#) | Full Text: [PDF](#) (524 KB)

39. A 3-mW 74-dB SNR 2-MHz continuous-time delta-sigma ADC with a tracking ADC quantizer in 0.13- μ m CMOS

Dorrer, L.; Kuttner, F.; Greco, P.; Torta, P.; Hartig, T.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2416- 2427
Digital Object Identifier 10.1109/JSSC.2005.856282

[Abstract](#) | Full Text: [PDF](#) (1240 KB)

40. A survey on sensor networks

Akyildiz, I.F.; Weilian Su; Sankarasubramaniam, Y.; Cayirci, E.
Communications Magazine, IEEE
Volume 40, Issue 8, Date: Aug 2002, Pages: 102- 114
Digital Object Identifier 10.1109/MCOM.2002.1024422

[Abstract](#) | Full Text: [PDF](#) (990 KB)

41. A low-power multi-bit Δ Sigma/ Δ modulator in 90-nm digital CMOS without DEM

Jiang Yu; Maloberti, F.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2428- 2436
Digital Object Identifier 10.1109/JSSC.2005.856288

[Abstract](#) | Full Text: [PDF](#) (672 KB)

42. A simple transmit diversity technique for wireless communications

Alamouti, S.M.
Selected Areas in Communications, IEEE Journal on
Volume 16, Issue 8, Date: Oct 1998, Pages: 1451-1458
Digital Object Identifier 10.1109/49.730453

[Abstract](#) | Full Text: [PDF](#) (224 KB)

43. A 1.75-GHz polar modulated CMOS RF power amplifier for GSM-EDGE

Reynaert, P.; Steyaert, M.S.J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2598- 2608
Digital Object Identifier 10.1109/JSSC.2005.857425

[Abstract](#) | Full Text: [PDF](#) (808 KB)

44. A fully integrated 24-GHz phased-array transmitter in CMOS

Natarajan, A.; Komijani, A.; Hajimiri, A.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2502- 2514
Digital Object Identifier 10.1109/JSSC.2005.857420

[Abstract](#) | Full Text: [PDF](#) (3504 KB)

45. IEEE Standard for Local and Metropolitan Area Networks Part 16: Air Interface for Fixed Broadband Wireless Access Systems

IEEE Std 802.16-2004 (Revision of IEEE Std 802.16-2001)
Volume , Issue , Date: 2004, Pages: 0_1- 857

[Abstract](#) | Full Text: [PDF](#) (6002 KB)

46. **IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications Amendment 8: Medium Access Control (MAC) Quality Enhancements**

IEEE Std 802.11e-2005 (Amendment to IEEE Std 802.11, 1999 Edition (Reaff 2003))
Volume , Issue , Date: 2005, Pages: 0_1- 189

[Abstract](#) | Full Text: [PDF](#) (2554 KB)

47. **A 6.4-Gb/s CMOS SerDes core with feed-forward and decision-feedback equalization**

Beukema, T.; Sorna, M.; Selander, K.; Zier, S.; Ji, B.L.; Murfet, P.; Mason, J.; Rhee, W.; Ainspan, H.; Parker, B.; Beakes, M.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2633- 2645
Digital Object Identifier 10.1109/JSSC.2005.856584

[Abstract](#) | Full Text: [PDF](#) (1560 KB)

48. **Novel small-size directional antenna for UWB WBAN/WPAN applications**

Klemm, M.; Kovcs, I.Z.; Pedersen, G.F.; Troster, G.
Antennas and Propagation, IEEE Transactions on
Volume 53, Issue 12, Date: Dec. 2005, Pages: 3884- 3896
Digital Object Identifier 10.1109/TAP.2005.859906

[Abstract](#) | Full Text: [PDF](#) (2064 KB)

49. **"Split ADC" architecture for deterministic digital background calibration of a 16-bit 1-MS/s ADC**

McNeill, J.; Coln, M.C.W.; Larivee, B.J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2437- 2445
Digital Object Identifier 10.1109/JSSC.2005.856291

[Abstract](#) | Full Text: [PDF](#) (808 KB)

50. **Overview of the H.264/AVC video coding standard**

Wiegand, T.; Sullivan, G.J.; Bjntegaard, G.; Luthra, A.
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 13, Issue 7, Date: July 2003, Pages: 560- 576
Digital Object Identifier 10.1109/TCSVT.2003.815165

[Abstract](#) | Full Text: [PDF](#) (904 KB)

51. **A 50-MS/s (35 mW) to 1-ks/s (15 /spl mu/W) power scaleable 10-bit pipelined ADC using rapid power-on opamps and minimal bias current variation**

Ahmed, I.; Johns, D.A.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2446- 2455
Digital Object Identifier 10.1109/JSSC.2005.856289

[Abstract](#) | Full Text: [PDF](#) (936 KB)

52. **Adaptive equalization: transitioning from single-carrier to multicarrier systems**

Martin, R.K.; Johnson, C.R., Jr.
Signal Processing Magazine, IEEE
Volume 22, Issue 6, Date: Nov. 2005, Pages: 108- 122
Digital Object Identifier 10.1109/MSP.2005.1550193

[Abstract](#) | Full Text: [PDF](#) (1044 KB)

53. **Survey of clustering algorithms**

Rui Xu; Wunsch, D., II
Neural Networks, IEEE Transactions on
Volume 16, Issue 3, Date: May 2005, Pages: 645- 678
Digital Object Identifier 10.1109/TNN.2005.845141

[Abstract](#) | Full Text: [PDF](#) (1544 KB)

54. R&D 100

Hira, R.; Goldstein, H.
Spectrum, IEEE
Volume 42, Issue 12, Date: Dec. 2005, Pages: 36- 41

[Abstract](#) | Full Text: [PDF](#) (521 KB)

55. Research issues in genomic signal processing

Dougherty, E.R.; Datta, A.; Sima, C.
Signal Processing Magazine, IEEE
Volume 22, Issue 6, Date: Nov. 2005, Pages: 46- 68
Digital Object Identifier 10.1109/MSP.2005.1550189

[Abstract](#) | Full Text: [PDF](#) (2512 KB)

56. A 0.94-ps-RMS-jitter 0.016-mm/sup 2/ 2.5-GHz multiphase generator PLL with 360/spl deg/ digitally programmable phase shift for 10-Gb/s serial links

Toifl, T.; Menolfi, C.; Buchmann, P.; Kossel, M.; Morf, T.; Reutemann, R.; Ruegg, M.; Schmatz, M.L.; Weiss, J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2700- 2712
Digital Object Identifier 10.1109/JSSC.2005.856581

[Abstract](#) | Full Text: [PDF](#) (1480 KB)

57. Static shunt and series compensations of an SMIB system using flying capacitor multilevel inverter

Shukla, A.; Ghosh, A.; Joshi, A.
Power Delivery, IEEE Transactions on
Volume 20, Issue 4, Date: Oct. 2005, Pages: 2613- 2622
Digital Object Identifier 10.1109/TPWRD.2005.855433

[Abstract](#) | Full Text: [PDF](#) (360 KB)

58. Low-phase-noise low-power IC VCOs for 5-8-GHz wireless applications

Jacobsson, H.; Gevorgian, S.; Mokhtari, M.; Hedenas, C.; Hansson, B.; Lewin, T.; Berg, H.; Rabe, W.; Schuppen, A.
Microwave Theory and Techniques, IEEE Transactions on
Volume 48, Issue 12, Date: Dec 2000, Pages: 2533-2539
Digital Object Identifier 10.1109/22.899009

[Abstract](#) | Full Text: [PDF](#) (140 KB)

59. From FFTs to wavelets: An interview with C. Sidney Burrus

Dumitras, A.; Moschytz, G.
Signal Processing Magazine, IEEE
Volume 22, Issue 5, Date: Sept. 2005, Pages: 128- 131
Digital Object Identifier 10.1109/MSP.2005.1511831

[Abstract](#) | Full Text: [PDF](#) (137 KB)

60. IEEE standard for information technology- telecommunications and information exchange between systems- local and metropolitan area networks- specific require Part II: wireless LAN medium access control (MAC) and physical layer (PHY) specifications

IEEE Std 802.11g-2003 (Amendment to IEEE Std 802.11, 1999 Edn. (Reaff 2003) as amended by IEEE Stds 802.11a-1999, 802.11b-1999, 802.11b-1999/Cor 1-2001, and 802.11g-2001)
Volume , Issue , Date: 2003, Pages: i- 67

[Abstract](#) | Full Text: [PDF](#) (1754 KB)

61.

Data-Hiding Codes

Moulin, P.; Koetter, R.

Proceedings of the IEEE
Volume 93, Issue 12, Date: Dec. 2005, Pages: 2083- 2126
Digital Object Identifier 10.1109/JPROC.2005.859599

[Abstract](#) | Full Text: [PDF](#) (1456 KB)

62. A CMOS smart temperature sensor with a 3/spl sigma/ inaccuracy of /spl plusmn/0.1/spl deg/C from -55/spl deg/C to 125/spl deg/C

Pertjjs, M.A.P.; Makinwa, K.A.A.; Huijsing, J.H.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2805- 2815
Digital Object Identifier 10.1109/JSSC.2005.858476

[Abstract](#) | Full Text: [PDF](#) (680 KB)

63. Mesh networks: commodity multihop ad hoc networks

Bruno, R.; Conti, M.; Gregori, E.
Communications Magazine, IEEE
Volume 43, Issue 3, Date: March 2005, Pages: 123- 131
Digital Object Identifier 10.1109/MCOM.2005.1404606

[Abstract](#) | Full Text: [PDF](#) (585 KB)

64. Is ICA Significantly Better than PCA for Face Recognition?

Jian Yang; Zhang, D.; Jing-yu Yang
Computer Vision, 2005. ICCV 2005. Tenth IEEE International Conference on
Volume 1, Issue , Date: 17-20 Oct. 2005, Pages: 198- 203
Digital Object Identifier 10.1109/ICCV.2005.127

[Abstract](#) | Full Text: [PDF](#) (200 KB)

65. A digitally controlled oscillator in a 90 nm digital CMOS process for mobile phones

Staszewski, R.B.; Chih-Ming Hung; Barton, N.; Meng-Chang Lee; Leipold, D.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 11, Date: Nov. 2005, Pages: 2203- 2211
Digital Object Identifier 10.1109/JSSC.2005.857359

[Abstract](#) | Full Text: [PDF](#) (720 KB)

66. A low-phase-noise 0.004-ppm/step DCXO with guaranteed monotonicity in the 90-nm CMOS process

Lin, J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2726- 2734
Digital Object Identifier 10.1109/JSSC.2005.856580

[Abstract](#) | Full Text: [PDF](#) (1824 KB)

67. A 6.25-Gb/s binary transceiver in 0.13-/spl mu/m CMOS for serial data transmission across high loss legacy backplane channels

Payne, R.; Landman, P.; Bhakta, B.; Ramaswamy, S.; Song Wu; Powers, J.D.; Erdogan, M.U.; Yee, A.-L.; Gu, R.; Lin Wu; Yiqun Xie; Parthasarathy, B.; Brouse, K.; Mohammed Heragu, K.; Gupta, V.; Dyson, L.; Wai Lee
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2646- 2657
Digital Object Identifier 10.1109/JSSC.2005.856583

[Abstract](#) | Full Text: [PDF](#) (1800 KB)

68. Ultra-wideband communications: an idea whose time has come

Liuqing Yang; Giannakis, G.B.
Signal Processing Magazine, IEEE
Volume 21, Issue 6, Date: Nov. 2004, Pages: 26- 54
Digital Object Identifier 10.1109/MSP.2004.1359140

[Abstract](#) | Full Text: [PDF](#) (3282 KB)

- 69. Ultra-wideband low-cost phased-array radars**
Rodenbeck, C.T.; Sang-Gyu Kim; Wen-Hua Tu; Coutant, M.R.; Seungpyo Hong; Mingyi Li; Kai Chang
Microwave Theory and Techniques, IEEE Transactions on
Volume 53, Issue 12, Date: Dec. 2005, Pages: 3697- 3703
Digital Object Identifier 10.1109/TMTT.2005.856668
[Abstract](#) | Full Text: [PDF](#) (1104 KB)
- 70. A 21-26-GHz SiGe bipolar power amplifier MMIC**
Cheung, T.S.D.; Long, J.R.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2583- 2597
Digital Object Identifier 10.1109/JSSC.2005.857424
[Abstract](#) | Full Text: [PDF](#) (1520 KB)
- 71. The dual-tree complex wavelet transform**
Selesnick, I.W.; Baraniuk, R.G.; Kingsbury, N.C.
Signal Processing Magazine, IEEE
Volume 22, Issue 6, Date: Nov. 2005, Pages: 123- 151
Digital Object Identifier 10.1109/MSP.2005.1550194
[Abstract](#) | Full Text: [PDF](#) (2500 KB)
- 72. MOS operational amplifier design-a tutorial overview**
Gray, P.R.; Meyer, R.G.
Solid-State Circuits, IEEE Journal of
Volume 17, Issue 6, Date: Dec 1982, Pages: 969- 982
[Abstract](#) | Full Text: [PDF](#) (1536 KB)
- 73. Realization of the next-generation network**
Chae-Sub Lee; Knight, D.
Communications Magazine, IEEE
Volume 43, Issue 10, Date: Oct. 2005, Pages: 34- 41
Digital Object Identifier 10.1109/MCOM.2005.1522122
[Abstract](#) | Full Text: [PDF](#) (151 KB)
- 74. Why software fails [software failure]**
Charette, R.N.
Spectrum, IEEE
Volume 42, Issue 9, Date: Sept. 2005, Pages: 42- 49
Digital Object Identifier 10.1109/MSPEC.2005.1502528
[Abstract](#) | Full Text: [PDF](#) (9468 KB)
- 75. A four-antenna receiver in 90-nm CMOS for beamforming and spatial diversity**
Paramesh, J.; Bishop, R.; Soumyanath, K.; Allstot, D.J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2515- 2524
Digital Object Identifier 10.1109/JSSC.2005.857416
[Abstract](#) | Full Text: [PDF](#) (1288 KB)
- 76. Information technology - telecommunications and informationexchange between systems - local and metropolitan area networks -specific requirements. Part 3: Ca Sense Multiple Access withCollision Detection (CSMA/CD) access method and physical layerspecifications**
IEEE Std 802.3, 1998 Edition
Volume , Issue , Date: 28 Sep 1998, Pages: -

[Abstract](#) | Full Text: [PDF](#) (8216 KB)

77. Tomorrow's technology today [engineering innovation]

Neuvo, Y.

Signal Processing Magazine, IEEE

Volume 22, Issue 6, Date: Nov. 2005, Pages: 10- 13

Digital Object Identifier 10.1109/MSP.2005.1550184

[Abstract](#) | Full Text: [PDF](#) (105 KB)

78. Broadband MIMO-OFDM wireless communications

Stuber, G.L.; Barry, J.R.; McLaughlin, S.W.; Ye Li; Ingram, M.A.; Pratt, T.G.

Proceedings of the IEEE

Volume 92, Issue 2, Date: Feb 2004, Pages: 271- 294

Digital Object Identifier 10.1109/JPROC.2003.821912

[Abstract](#) | Full Text: [PDF](#) (1200 KB) | Full Text: [HTML](#)

79. A new and improved physics-based model for MOS transistors

Hauser, J.R.

Electron Devices, IEEE Transactions on

Volume 52, Issue 12, Date: Dec. 2005, Pages: 2640- 2647

Digital Object Identifier 10.1109/TED.2005.859623

[Abstract](#) | Full Text: [PDF](#) (408 KB)

80. A multigigabit backplane transceiver core in 0.13- μm CMOS with a power-efficient equalization architecture

Krishna, K.; Yokoyama-Martin, D.A.; Caffee, A.; Jones, C.; Loikkanen, M.; Parker, J.; Segelken, R.; Sonntag, J.L.; Stonick, J.; Titus, S.; Weinlader, D.; Wolfer, S.

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2658- 2666

Digital Object Identifier 10.1109/JSSC.2005.856574

[Abstract](#) | Full Text: [PDF](#) (1504 KB)

81. Capacity analysis in CDMA distributed antenna systems

Lin Dai; Shidong Zhou; Yan Yao

Wireless Communications, IEEE Transactions on

Volume 4, Issue 6, Date: Nov. 2005, Pages: 2613- 2620

Digital Object Identifier 10.1109/TWC.2005.858011

[Abstract](#) | Full Text: [PDF](#) (248 KB)

82. An LCD column driver using a switch capacitor DAC

Bell, M.J.

Solid-State Circuits, IEEE Journal of

Volume 40, Issue 12, Date: Dec. 2005, Pages: 2756- 2765

Digital Object Identifier 10.1109/JSSC.2005.858481

[Abstract](#) | Full Text: [PDF](#) (912 KB)

83. A theory for multiresolution signal decomposition: the wavelet representation

Mallat, S.G.

Pattern Analysis and Machine Intelligence, IEEE Transactions on

Volume 11, Issue 7, Date: Jul 1989, Pages: 674-693

Digital Object Identifier 10.1109/34.192463

[Abstract](#) | Full Text: [PDF](#) (1524 KB)

84.

When will smart antennas be ready for the market? Part II - results

Kaiser, T.

Signal Processing Magazine, IEEE

Volume 22, Issue 6, Date: Nov. 2005, Pages: 174- 176

Digital Object Identifier 10.1109/MSP.2005.1550197

[Abstract](#) | Full Text: [PDF](#) (66 KB)

- 85. A 12.5-mb/s to 2.7-Gb/s continuous-rate CDR with automatic frequency acquisition and data-rate readback**
Dalton, D.; Kwet Chai; Evans, E.; Ferriss, M.; Hitchcox, D.; Murray, P.; Selvanayagam, S.; Shepherd, P.; DeVito, L.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2713- 2725
Digital Object Identifier 10.1109/JSSC.2005.856577

[Abstract](#) | Full Text: [PDF](#) (1832 KB)

- 86. Device mismatch and tradeoffs in the design of analog circuits**
Kinget, P.R.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 6, Date: June 2005, Pages: 1212- 1224
Digital Object Identifier 10.1109/JSSC.2005.848021

[Abstract](#) | Full Text: [PDF](#) (536 KB)

- 87. Design of microstrip bandpass filters with multiorder spurious-mode suppression**
Chi-Feng Chen; Ting-Yi Huang; Ruey-Beei Wu
Microwave Theory and Techniques, IEEE Transactions on
Volume 53, Issue 12, Date: Dec. 2005, Pages: 3788- 3793
Digital Object Identifier 10.1109/TMTT.2005.859869

[Abstract](#) | Full Text: [PDF](#) (1440 KB)

- 88. Future Special Issues/Special Sections of the Proceedings**

Proceedings of the IEEE
Volume 93, Issue 12, Date: Dec. 2005, Pages: 2192- 2194
Digital Object Identifier 10.1109/JPROC.2005.861078

[Abstract](#) | Full Text: [PDF](#) (30 KB)

- 89. IEEE Std 802.11-1997 Information Technology- telecommunications And Information exchange Between Systems-Local And Metropolitan Area Networks-specific Requirements-part 11: Wireless Lan Medium Access Control (MAC) And Physical Layer (PHY) Specifications**

IEEE Std 802.11-1997
Volume , Issue , Date: 18 Nov 1997, Pages: i-445

[Abstract](#) | Full Text: [PDF](#) (25764 KB)

- 90. Frequency planning and synthesizer architectures for multiband OFDM UWB radios**
Mishra, C.; Valdes-Garcia, A.; Bahmani, F.; Batra, A.; Sanchez-Sinencio, E.; Silva-Martinez, J.
Microwave Theory and Techniques, IEEE Transactions on
Volume 53, Issue 12, Date: Dec. 2005, Pages: 3744- 3756
Digital Object Identifier 10.1109/TMTT.2005.856087

[Abstract](#) | Full Text: [PDF](#) (1096 KB)

- 91. Applications of RFID technology**
Raza, N.; Bradshaw, V.; Hague, M.
RFID Technology (Ref. No. 1999/123), IEE Colloquium on
Volume , Issue , Date: 1999, Pages: 1/1-1/5

[Abstract](#) | Full Text: [PDF](#) (160 KB)

- 92. Generalized principal component analysis (GPCA)**

Vidal, R.; Yi Ma; Sastry, S.

Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 27, Issue 12, Date: Dec. 2005, Pages: 1945- 1959
Digital Object Identifier 10.1109/TPAMI.2005.244

[Abstract](#) | Full Text: [PDF](#) (872 KB)

93. NGN architecture: generic principles, functional architecture, and implementation

Knightson, K.; Morita, N.; Towle, T.
Communications Magazine, IEEE
Volume 43, Issue 10, Date: Oct. 2005, Pages: 49- 56
Digital Object Identifier 10.1109/MCOM.2005.1522124

[Abstract](#) | Full Text: [PDF](#) (131 KB)

94. Parallel-coupled line filters with enhanced stopband performances

Fathelbab, W.M.; Steer, M.B.
Microwave Theory and Techniques, IEEE Transactions on
Volume 53, Issue 12, Date: Dec. 2005, Pages: 3774- 3781
Digital Object Identifier 10.1109/TMTT.2005.859871

[Abstract](#) | Full Text: [PDF](#) (552 KB)

95. A single-chip dual-band direct-conversion IEEE 802.11a/b/g WLAN transceiver in 0.18- μm CMOS

Pengfei Zhang; Der, L.; Dawei Guo; Sever, I.; Bourdi, T.; Lam, C.; Zolfaghari, A.; Chen, J.; Gambetta, D.; Baohong Cheng; Gowder, S.; Hart, S.; Huynh, L.; Nguyen, T.; Razavi
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 9, Date: Sept. 2005, Pages: 1932- 1939
Digital Object Identifier 10.1109/JSSC.2005.848182

[Abstract](#) | Full Text: [PDF](#) (1368 KB)

96. Interference-aware IEEE 802.16 WiMax mesh networks

Hung-Yu Wei; Ganguly, S.; Izmailov, R.; Haas, Z.J.
Vehicular Technology Conference, 2005. VTC 2005-Spring. 2005 IEEE 61st
Volume 5, Issue , Date: 30 May-1 June 2005, Pages: 3102- 3106 Vol. 5
Digital Object Identifier 10.1109/VETECS.2005.1543918

[Abstract](#) | Full Text: [PDF](#) (2536 KB)

97. Remotely powered addressable UHF RFID integrated system

Curty, J.-P.; Joehl, N.; Dehollain, C.; Declercq, M.J.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 11, Date: Nov. 2005, Pages: 2193- 2202
Digital Object Identifier 10.1109/JSSC.2005.857352

[Abstract](#) | Full Text: [PDF](#) (728 KB)

98. Ultrawideband propagation channels-theory, measurement, and modeling

Molisch, A.F.
Vehicular Technology, IEEE Transactions on
Volume 54, Issue 5, Date: Sept. 2005, Pages: 1528- 1545
Digital Object Identifier 10.1109/TVT.2005.856194

[Abstract](#) | Full Text: [PDF](#) (288 KB)

99. A 100-mW 4/spl times/10 Gb/s transceiver in 80-nm CMOS for high-density optical interconnects

Kromer, C.; Sialm, G.; Berger, C.; Morf, T.; Schmatz, M.L.; Ellinger, F.; Erni, D.; Bona, G.-L.; Jackel, H.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2667- 2679
Digital Object Identifier 10.1109/JSSC.2005.856575

[Abstract](#) | Full Text: [PDF](#) (1536 KB)

100. A 1.6-GS/s 12-bit return-to-zero GaAs RF DAC for multiple Nyquist operation

Myung-Jun Choe; Kwang-Hyun Baek; Teshome, M.
Solid-State Circuits, IEEE Journal of
Volume 40, Issue 12, Date: Dec. 2005, Pages: 2456- 2468
Digital Object Identifier 10.1109/JSSC.2005.856276

[Abstract](#) | Full Text: [PDF](#) (1072 KB)



[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights Reserved