Solid-State Circuits, IEEE Journal of

Popular Articles (January 2015)

Includes the top 50 most frequently downloaded documents for this publication according to the most recent monthly usage statistics.

Select All Results

1. A Fully Synthesizable All-Digital PLL With Interpolative Phase Coupled Oscillator, Current-Output DAC, and Fine-Resolution Digital Varactor Using Gated Edge Injection Technique

Wei Deng ; Dongsheng Yang ; Ueno, T. ; Siriburanon, T. ; Kondo, S. ; Okada, K. ; Matsuzawa, A.
Page(s): 68 - 80

| Quick Abstract | PDF (2319 KB) | | HTML

2. A 0.13 μm CMOS System-on-Chip for a 512 × 424 Time-of-Flight Image Sensor With Multi-Frequency Photo-Demodulation up to 130 MHz and 2 GS/s ADC

Bamji, C.S. ; O'Connor, P. ; Elkhatib, T. ; Mehta, S. ; Thompson, B. ; Prather, L.A. ; Snow, D. ; Akkaya, O.C. ; Daniel, A. ; Payne, A.D. ; Perry, T. ; Fenton, M. ; Vei-Han Chan
Page(s): 303 - 319

| Quick Abstract | PDF (4437 KB) | | HTML

3. A 1 GS/s 10b 18.9 mW Time-Interleaved SAR ADC With Background Timing Skew Calibration

Sunghyuk Lee ; Chandrakasan, A.P. ; Hae-Seung Lee
Page(s): 2846 - 2856

| | Quick Abstract | PDF (2481 KB) | | HTML

4. A 28 Gb/s 560 mW Multi-Standard SerDes With Single-Stage Analog Front-End and 14-Tap Decision Feedback Equalizer in 28 nm CMOS

Kimura, H. ; Aziz, P.M. ; Tai Jing ; Sinha, A. ; Kotagiri, S.P. ; Narayan, R. ; Hairong Gao ; Ping Jing ; Hom, G. ; Anshi Liang ; Zhang, E. ; Kadkol, A. ; Kothari, R. ; Chan, G. ; Yehui Sun ; Ge, B. ; Zeng, J. ; Ling, K. ; Wang, M.C. ; Malipatil, A. ; Lijun Li ; Abel, C. ; Zhong, F.
Page(s): 3091 - 3103

| Quick Abstract | PDF (3299 KB) | | HTML

Sponsor

IEEE SOLID-STATE CIRCUITS SOCIETY



5. A 345 μW Multi-Sensor Biomedical SoC With Bio-Impedance, 3-Channel ECG, Motion Artifact Reduction, and Integrated DSP

Van Helleputte, N. ; Konijnenburg, M. ; Pettine, J. ; Dong-Woo Jee ; Hyejung Kim ; Morgado, A. ; Van Wegberg, R. ; Torfs, T. ; Mohan, R. ; Breeschoten, A. ; de Groot, H. ; Van Hoof, C. ; Yazicioglu, R.F.
Page(s): 230 - 244

I © I Quick Abstract I PDF (4485 KB) I I HTML

6. A 28 nm DSP Powered by an On-Chip LDO for High-Performance and Energy-Efficient Mobile Applications

Saint-Laurent, M. ; Bassett, P. ; Lin, K. ; Mohammad, B. ; Yuhe Wang ; Xufeng Chen ; Alradaideh, M. ; Wernimont, T. ; Ayyar, K. ; Bui, D. ; Galbi, D. ; Lester, A. ; Pedrali-Noy, M. ; Anderson, W.
Page(s): 81 - 91

I © I Quick Abstract I PDF (1665 KB) I I HTML

7. The 12-Core POWER8™ Processor With 7.6 Tb/s IO Bandwidth, Integrated Voltage Regulation, and Resonant Clocking

Fluhr, E.J. ; Baumgartner, S. ; Boerstler, D. ; Bulzacchelli, J.F. ; Diemoz, T. ; Dreps, D. ; English, G. ; Friedrich, J. ; Gattiker, A. ; Gloekler, T. ; Gonzalez, C. ; Hibbeler, J.D. ; Jenkins, K.A. ; Yong Kim ; Muench, P. ; Nett, R. ; Paredes, J. ; Pille, J. ; Plass, D. ; Restle, P. ; Robertazzi, R. ; Shan, D. ; Siljenberg, D. ; Sperling, M. ; Stawiasz, K. ; Still, G. ; Toprak-Deniz, Z. ; Warnock, J. ; Wiedemeier, G. ; Zyuban, V.
Page(s): 10 - 23

I © I Quick Abstract I PDF (4315 KB) I I HTML

8. Haswell: A Family of IA 22 nm Processors

Kurd, N. ; Chowdhury, M. ; Burton, E. ; Thomas, T.P. ; Mozak, C. ; Boswell, B. ; Mosalikanti, P. ; Neidengard, M. ; Deval, A. ; Khanna, A. ; Chowdhury, N. ; Rajwar, R. ; Wilson, T.M. ; Kumar, R.
Page(s): 49 - 58

I © I Quick Abstract I PDF (2689 KB) I I HTML

9. A 14 nm FinFET 128 Mb SRAM With V_{MIN} Enhancement Techniques for Low-Power Applications

Taejoong Song ; Woojin Rim ; Jonghoon Jung ; Giyong Yang ; Jaeho Park ; Sunghyun Park ; Yongho Kim ; Kang-Hyun Baek ; Sanghoon Baek ; Sang-Kyu Oh ; Jinsuk Jung ; Sungbong Kim ; Gyuhong Kim ; Jintae Kim ; Youngkeun Lee ; Sang-Pil Sim ; Jong Shik Yoon ; Kyu-Myung Choi ; Hyosig Won ; Jaehong Park
Page(s): 158 - 169

I © I Quick Abstract I PDF (3982 KB) I I HTML

10. A 40 Gb/s Serial Link Transceiver in 28 nm CMOS Technology

Navid, R. ; Chen, E.-H. ; Hossain, M. ; Leibowitz, B. ; Ren, J. ; Chou, C.-H.A. ; Daly, B. ; Aleksic, M. ; Su, B. ; Li, S. ; Shirasgaonkar, M. ; Heaton, F. ; Zerbe, J. ; Eble, J.
Page(s): 1 - 14

I © I Quick Abstract I PDF (3903 KB)

11. A 22 nm 15-Core Enterprise Xeon® Processor Family

Rusu, S. ; Muljono, H. ; Ayers, D. ; Tam, S. ; Wei Chen ; Martin, A. ; Shenggao Li ; Vora, S. ; Varada, R. ; Wang, E.
Page(s): 35 - 48

I © I Quick Abstract I PDF (3426 KB) I I HTML

12. A 0.87 W Transceiver IC for 100 Gigabit Ethernet in 40 nm CMOS

Hyosup Won ; Taehun Yoon ; Jinho Han ; Joon-Yeong Lee ; Jong-Hyeok Yoon ; Taeho Kim ; Jeong-Sup Lee ; Sangeun Lee ; Kwangseok Han ; Jinhee Lee ; Jinho Park ; Hyeon-Min Bae
Page(s): 399 - 413

I © I Quick Abstract I PDF (3499 KB) I I HTML

13. An Injectable 64 nW ECG Mixed-Signal SoC in 65 nm for Arrhythmia Monitoring

Yen-Po Chen ; Dongsuk Jeon ; Yoonmyung Lee ; Yejoong Kim ; Zhiyoong Foo ; Inhee Lee ; Langhals, N.B. ; Kruger, G. ; Oral, H. ; Berenfeld, O. ; Zhengya Zhang ; Blaauw, D. ; Sylvester, D.
Page(s): 375 - 390

I © I Quick Abstract I PDF (4751 KB) I I HTML

14. A 4.9 mΩ-Sensitivity Mobile Electrical Impedance Tomography IC for Early Breast-Cancer Detection System

Sunjoo Hong ; Kwonjoon Lee ; Unsoo Ha ; Hyunki Kim ; Yongsu Lee ; Youchang Kim ; Hoi-Jun Yoo
Page(s): 245 - 257

I © I Quick Abstract I PDF (3702 KB)

15. A Cascode Miller-Compensated Three-Stage Amplifier With Local Impedance Attenuation for Optimized Complex-Pole Control

Min Tan ; Wing-Hung Ki
Page(s): 440 - 449

I © I Quick Abstract I PDF (1842 KB) I I HTML

16. A 0.15 V Input Energy Harvesting Charge Pump With Dynamic Body Biasing and Adaptive Dead-Time for Efficiency Improvement

Jungmoon Kim ; Mok, P.K.T. ; Chulwoo Kim
Page(s): 414 - 425

I © I Quick Abstract I PDF (2265 KB) I I HTML

17. A TDC-Free Mostly-Digital FDC-PLL Frequency Synthesizer With a 2.8–3.5 GHz DCO

Venerus, C. ; Galton, I.
Page(s): 450 - 463

I © I Quick Abstract I PDF (2491 KB) I I HTML

18. Switched-Mode Operational Amplifiers and Their Application to Continuous-Time Filters in Nanoscale CMOS

Vigraham, B. ; Kuppambatti, J. ; Kinget, P.R.
Page(s): 2758 - 2772

I © I Quick Abstract I PDF (3994 KB) I I HTML

19. A 10-bit 50-MS/s SAR ADC With a Monotonic Capacitor Switching Procedure

Chun-Cheng Liu ; Soon-Jyh Chang ; Guan-Ying Huang ; Ying-Zu Lin
Page(s): 731 - 740

I © I Quick Abstract I PDF (1463 KB) I I HTML

20. A 16 nm 128 Mb SRAM in High-κ Metal-Gate FinFET Technology With Write-Assist Circuitry for Low-VMIN Applications

Yen-Huei Chen ; Wei-Min Chan ; Wei-Cheng Wu ; Hung-Jen Liao ; Kuo-Hua Pan ; Jhon-Jhy Liaw ; Tang-Hsuan Chung ; Quincy Li ; Chih-Yung Lin ; Mu-Chi Chiang ; Shien-Yang Wu ; Chang, J.
Page(s): 170 - 177

I © I Quick Abstract I PDF (2453 KB) I I HTML

21. A 10 bit SAR ADC With Data-Dependent Energy Reduction Using LSB-First Successive Approximation

Yaul, F.M. ; Chandrakasan, A.P.
Page(s): 2825 - 2834

I © I Quick Abstract I PDF (1881 KB) I I HTML

22. A Fully-Implantable Cochlear Implant SoC With Piezoelectric Middle-Ear Sensor and Arbitrary Waveform Neural Stimulation

Yip, M. ; Rui Jin ; Nakajima, H.H. ; Stankovic, K.M. ; Chandrakasan, A.P.
Page(s): 214 - 229

I © I Quick Abstract I PDF (3542 KB) I I HTML

23. A Minimally Invasive 64-Channel Wireless μECoG Implant

Muller, R. ; Hanh-Phuc Le ; Wen Li ; Ledochowitsch, P. ; Gambini, S. ; Bjorninen, T. ; Koralek, A. ; Carmena, J.M. ; Maharbiz, M.M. ; Alon, E. ; Rabaey, J.M.
Page(s): 344 - 359

I © I Quick Abstract I PDF (3841 KB)

24. A 28 nm High-k/MG Heterogeneous Multi-Core Mobile Application Processor With 2 GHz Cores and Low-Power 1 GHz Cores

Igarashi, M. ; Uemura, T. ; Mori, R. ; Kishibe, H. ; Nagayama, M. ; Taniguchi, M. ; Wakahara, K. ; Saito, T. ; Fujigaya, M. ; Fukuoka, K. ; Nii, K. ; Kataoka, T. ; Hattori, T.
Page(s): 92 - 101

I © I Quick Abstract I PDF (2979 KB) I I HTML

25. Sampling Circuits That Break the kT/C Thermal Noise Limit

Kapusta, R. ; Haiyang Zhu ; Lyden, C.
Page(s): 1694 - 1701

I © I Quick Abstract I PDF (1279 KB) I I HTML

26. A 3.9 mW 25-Electrode Reconfigured Sensor for Wearable Cardiac Monitoring System

Long Yan ; Joonsung Bae, ; Seulki Lee ; Taehwan Roh ; Kiseok Song ; Hoi-Jun Yoo
Page(s): 353 - 364

I © I Quick Abstract I PDF (5056 KB) I I HTML

27. A 1.5 mW 68 dB SNDR 80 Ms/s 2 × Interleaved Pipelined SAR ADC in 28 nm CMOS

van der Goes, F. ; Ward, C.M. ; Astgimath, S. ; Han Yan ; Riley, J. ; Zeng Zeng ; Mulder, J. ; Sijia Wang ; Bult, K.
Page(s): 2835 - 2845

I © I Quick Abstract I PDF (1971 KB) I I HTML

28. A Decision-Error-Tolerant 45 nm CMOS 7b 1 GS/s Nonbinary 2b/Cycle SAR ADC

Hyeok-Ki Hong ; Wan Kim ; Hyun-Wook Kang ; Sun-Jae Park ; Choi, M. ; Ho-Jin Park ; Seung-Tak Ryu
Page(s): 543 - 555

I © I Quick Abstract I PDF (3075 KB) I I HTML

29. A 14 Bit 1 GS/s RF Sampling Pipelined ADC With Background Calibration

Ali, A.M.A. ; Dinc, H. ; Bhoraskar, P. ; Dillon, C. ; Puckett, S. ; Gray, B. ; Speir, C. ; Lanford, J. ; Brunsilius, J. ; Derounian, P.R. ; Jeffries, B. ; Mehta, U. ; McShea, M. ; Stop, R.
Page(s): 2857 - 2867

I © I Quick Abstract I PDF (2432 KB) I I HTML

30. A 3 ppm 1.5 × 0.8 mm 2 1.0 μA 32.768 kHz MEMS-Based Oscillator

Zaliasl, S. ; Salvia, J.C. ; Hill, G.C. ; Chen, L.W. ; Kimo Joo ; Palwai, R. ; Arumugam, N. ; Phadke, M. ; Mukherjee, S. ; Hae-Chang Lee ; Grosjean, C. ; Hagelin, P.M. ; Pamarti, S. ; Fiez, T.S. ; Makinwa, K.A.A. ; Partridge, A. ; Menon, V.
Page(s): 291 - 302

I © I Quick Abstract I PDF (3247 KB) I I HTML

31. Steamroller Module and Adaptive Clocking System in 28 nm CMOS

Wilcox, K. ; Cole, R. ; Fair, H.R. ; Gillespie, K. ; Grenat, A. ; Henrion, C. ; Jotwani, R. ; Kosonocky, S. ; Munger, B. ; Naffziger, S. ; Orefice, R.S. ; Pant, S. ; Priore, D.A. ; Rachala, R. ; White, J.
Page(s): 24 - 34

I © I Quick Abstract I PDF (2809 KB) I I HTML

32. Compressed Sensing Analog Front-End for Bio-Sensor Applications

Gangopadhyay, D. ; Allstot, E.G. ; Dixon, A.M.R. ; Natarajan, K. ; Gupta, S. ; Allstot, D.J.
Page(s): 426 - 438

I © I Quick Abstract I PDF (3090 KB) I I HTML

33. A 1 Gb 2 GHz 128 GB/s Bandwidth Embedded DRAM in 22 nm Tri-Gate CMOS Technology

Hamzaoglu, F. ; Arslan, U. ; Bisnik, N. ; Ghosh, S. ; Lal, M.B. ; Lindert, N. ; Meterelliyoz, M. ; Osborne, R.B. ; Joodong Park ; Tomishima, S. ; Yih Wang ; Zhang, K.
Page(s): 150 - 157

I © I Quick Abstract I PDF (2189 KB) I I HTML

34. An Ultra-Low Phase Noise Class-F 2 CMOS Oscillator With 191 dBc/Hz FoM and Long-Term Reliability

Babaie, M. ; Staszewski, R.B.
Page(s): 1 - 14

I Quick Abstract I PDF (3710 KB)

35. 3D Ultrasonic Rangefinder on a Chip

Przybyla, R.J. ; Hao-Yen Tang ; Guedes, A. ; Shelton, S.E. ; Horsley, D.A. ; Boser, B.E.
Page(s): 320 - 334

I © I Quick Abstract I PDF (3521 KB) I I HTML

36. A 2.7 GHz to 7 GHz Fractional-N LC-PLL Utilizing Multi-Metal Layer SoC Technology in 28 nm CMOS

Lee, C.-H. ; Kabalican, L. ; Ge, Y. ; Kwantono, H. ; Unruh, G. ; Chambers, M. ; Fujimori, I.
Page(s): 1 - 11

I © I Quick Abstract I PDF (2668 KB)

37. A 25 Gb/s 5.8 mW CMOS Equalizer

Jun Won Jung ; Razavi, B.
Page(s): 515 - 526

I © I Quick Abstract I PDF (2044 KB) I I HTML

38. A 6 mW, 5,000-Word Real-Time Speech Recognizer Using WFST Models

Price, M. ; Glass, J. ; Chandrakasan, A.P.
Page(s): 102 - 112

I © I Quick Abstract I PDF (2219 KB) I I HTML

39. A Heterogeneous 3D-IC Consisting of Two 28 nm FPGA Die and 32 Reconfigurable High-Performance Data Converters

Erdmann, C. ; Lowney, D. ; Lynam, A. ; Keady, A. ; McGrath, J. ; Cullen, E. ; Breathnach, D. ; Keane, D. ; Lynch, P. ; De La Torre, M. ; De La Torre, R. ; Peng Lim ; Collins, A. ; Farley, B. ; Madden, L.
Page(s): 258 - 269

I © I Quick Abstract I PDF (3523 KB) I I HTML

40. Characterisation and modeling of mismatch in MOS transistors for precision analog design

Lakshmikumar, K.R. ; Hadaway, R.A. ; Copeland, M.A.
Page(s): 1057 - 1066

I © I Quick Abstract I PDF (1744 KB)

41. A Fractional-N Divider-Less Phase-Locked Loop With a Subsampling Phase Detector

Wei-Sung Chang ; Po-Chun Huang ; Tai-Cheng Lee
Page(s): 2964 - 2975

I © I Quick Abstract I PDF (3234 KB) I I HTML

42. Matching properties of MOS transistors

Pelgrom, M.J.M. ; Duinmaijer, Aad C.J. ; Welbers, A.P.G.
Page(s): 1433 - 1439

I © I Quick Abstract I PDF (912 KB)

43. Channel Selection at RF Using Miller Bandpass Filters

Joung Won Park ; Razavi, B.
Page(s): 3063 - 3078

I © I Quick Abstract I PDF (3472 KB) I I HTML

44. A CMOS bandgap reference circuit with sub-1-V operation

Banba, H. ; Shiga, H. ; Umezawa, A. ; Miyaba, T. ; Tanzawa, T. ; Atsumi, S. ; Sakui, K.
Page(s): 670 - 674

I © I Quick Abstract I PDF (232 KB)

45. A low-power low-noise CMOS amplifier for neural recording applications

Harrison, R.R. ; Charles, C.
Page(s): 958 - 965

I © I Quick Abstract I PDF (661 KB)

46. A Power-Efficient Switched-Capacitor Stimulating System for Electrical/Optical Deep Brain Stimulation

Hyung-Min Lee ; Ki Yong Kwon ; Wen Li ; Ghovanloo, M.
Page(s): 360 - 374

I © I Quick Abstract I PDF (3917 KB) I I HTML

47. A Reconfigurable Dual-Output Switched-Capacitor DC-DC Regulator With Sub-Harmonic Adaptive-On-Time Control for Low-Power Applications

Hua, Z. ; Lee, H.
Page(s): 1 - 13

I © I Quick Abstract I PDF (3943 KB)

48. A quad CMOS single-supply op amp with rail-to-rail output swing

Monticelli, D.M.
Page(s): 1026 - 1034

I © I Quick Abstract I PDF (1672 KB)

49. A 56.4-to-63.4 GHz Multi-Rate All-Digital Fractional-N PLL for FMCW Radar Applications in 65 nm CMOS

Wanghua Wu ; Staszewski, R.B. ; Long, J.R.
Page(s): 1081 - 1096

I Quick Abstract I PDF (3491 KB) I I HTML

50. A 1.2 V 8 Gb 8-Channel 128 GB/s High-Bandwidth Memory (HBM) Stacked DRAM With Effective I/O Test Circuits

Dong Uk Lee ; Kyung Whan Kim ; Kwan Weon Kim ; Kang Seol Lee ; Sang Jin Byeon ; Jae Hwan Kim ; Jin Hee Cho ; Jaejin Lee ; Jun Hyun Chun
Page(s): 191 - 203

I © I Quick Abstract I PDF (2925 KB) I I HTML

The *IEEE Journal of Solid-State Circuits* publishes papers each month in the broad area of solid-state circuits with particular emphasis on transistor-level design of integrated circuits.

Editor-in-Chief
Michael Flynn
University of Michigan

Personal Sign In | Create Account

IEEE Account

» Change Username/Password
» Update Address

Purchase Details

» Payment Options
» Order History
» Access Purchased Documents

Profile Information

» Communications Preferences
» Profession and Education
» Technical Interests

Need Help?

» **US & Canada:** +1 800 678 4333
» **Worldwide:** +1 732 981 0060
» Contact & Support

About IEEE *Xplore* | Contact Us | Help | Terms of Use | Nondiscrimination Policy | Sitemap | Privacy & Opting Out of Cookies

A not-for-profit organization, IEEE is the world's largest professional association for the advancement of technology.
© Copyright 2015 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.